

[How-To] Configure Nextcloud after Installation

Purpose

This document aims to make config adjustments to get rid of all errors in Nextcloud after initial installation and setup.

Prerequisites

List of prerequisites:

- Root user or sudo user
- Nextcloud Server

Nextcloud Configuration

Step 1: Configure Nextcloud Config.php

First, run the following to change to the correct directory:

```
cd /var/www/nextcloud/config
```

Next, run the following command to install redis:

```
sudo apt update
```

```
sudo apt install redis-server php-redis
```

Now, run this command to enable redis on startup:

```
sudo systemctl enable redis-server
```

Next, run the following command to edit the config.php file:

```
sudo nano config.php
```

Once in the file, work off of this below golden image, making sure not to change anything values already set that are *** out of this golden config:

```
<?php
$CONFIG = array (
    'instanceid' => '*****',
    'passwordsalt' => '*****',
    'secret' => '*****',
    'trusted_domains' =>
    array (
        0 => 'cloud.dev.stretchpowered.com',
    ),
    'trusted_proxies' =>
    array (
        0 => '10.10.30.100',
    ),
    'overwritehost' => 'cloud.dev.stretchpowered.com',
    'datadirectory' => '/var/www/nextcloud/data',
    'dbtype' => 'mysql',
    'version' => '29.0.2.2',
    'overwritecli.url' => 'https://cloud.dev.stretchpowered.com',
    'overwriteprotocol' => 'https',
    'dbname' => 'nextcloud_db',
    'dbhost' => 'localhost',
    'dbport' => '',
    'dbtableprefix' => 'oc_',
    'mysql.utf8mb4' => true,
    'dbuser' => 'nextclouduser',
    'dbpassword' => '*****',
    'installed' => true,
    'memcache.local' => '\\OC\\Memcache\\APCu',
    'memcache.locking' => '\\OC\\Memcache\\Redis',
    'redis' => [
        'host' => 'localhost',
        'port' => 6379,
        // Optional for password-protected Redis instances
        // 'password' => '*****',
        'timeout' => 0.0,
```

```
'read_timeout' => 0.0,
'dbindex' => 0,
],
'default_phone_region' => 'US',
'mail_from_address' => 'nextcloud-leffringo',
'mail_smtpmode' => 'smtp',
'mail_sendmailmode' => 'smtp',
'mail_domain' => 'outlook.com',
'mail_smtphost' => 'smtp-mail.outlook.com',
'mail_smtpport' => '587',
'mail_smtpauth' => 1,
'mail_smtpname' => 'nextcloud-leffringo@outlook.com',
'mail_smtppassword' => '*****',
'maintenance_window_start' => 7,
'maintenance' => false,
'theme' => '',
'loglevel' => 2,
);
```

Next, run the following command to restart Apache web server:

```
sudo systemctl restart apache2
```

Once you've made all the changes to match the golden config, move on to step 2.

Step 2: Configure Apache2 nextcloud.conf

Run the following command to go to the correct directory:

```
cd /etc/apache2/sites-available
```

Run the following command to edit the nextcloud.conf file:

```
sudo nano nextcloud.conf
```

Make the following changes if anything is different, being careful not to mess with domain settings for the environment you are working with:

```
<VirtualHost *:80>
    ServerName cloud.dev.stretchpowered.com
    DocumentRoot /var/www/nextcloud/
```

```
# log files
ErrorLog /var/log/apache2/cloud.dev.stretchpowered.com-error.log
CustomLog /var/log/apache2/cloud.dev.stretchpowered.com-access.log combined

<Directory /var/www/nextcloud/>
    Options +FollowSymlinks
    AllowOverride All

    <IfModule mod_dav.c>
        Dav off
    </IfModule>

    SetEnv HOME /var/www/nextcloud
    SetEnv HTTP_HOME /var/www/nextcloud
</Directory>
</VirtualHost>
```

Once you've matched the golden config, move on to step 3.

Step 3: Configure .htaccess Config

Run the following command to change to the correct directory:

```
cd /var/www/nextcloud
```

Run the following command to enable mod_rewrite on apache2:

```
sudo a2enmod rewrite
```

Run the following command to edit the config file:

```
sudo nano .htaccess
```

Most of this document default is fine, just scroll down toward the bottom and add lines missing from this section:

```
<IfModule mod_rewrite.c>
    RewriteEngine on
    RewriteCond %{HTTP_USER_AGENT} DavClnt
    RewriteRule ^$ /remote.php/webdav/ [L,R=302]
```

```
RewriteRule .* - [env=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
RewriteRule ^\.well-known/host-meta /nextcloud/public.php?service=host-meta [QSA,L]
RewriteRule ^\.well-known/host-meta\.json /nextcloud/public.php?service=host-meta-json [QSA,L]
RewriteRule ^\.well-known/carddav /remote.php/dav/ [R=301,L]
RewriteRule ^\.well-known/caldav /remote.php/dav/ [R=301,L]
RewriteRule ^\.well-known/webfinger /nextcloud/public.php?service=webfinger [QSA,L]
RewriteRule ^remote/(.*) remote.php [QSA,L]
RewriteRule ^(?:build|tests|config|lib|3rdparty|templates)/.* - [R=404,L]
RewriteRule ^\.well-known/(?!acme-challenge|pki-validation) /index.php [QSA,L]
RewriteRule ^ocm-provider/?$ index.php [QSA,L]
RewriteRule ^(?:\.?!well-known)|autotest|occ|issue|indie|db_|console).* - [R=404,L]
</IfModule>
```

Once you have added these missing lines, move on to step 4.

Step 4: Configure nginx reverse proxy config

Run the following command to change to the correct directory (on the reverse proxy nginx box, not nextcloud):

```
cd /etc/nginx/conf.d
```

Run the following command to edit the correct conf file name:

```
sudo nano cloud.dev.stretchpowered.com.conf
```

Match this config with the items below, making sure not to mess with the SSL and domain settings you already have specific to the environment.

```
server {
    server_name cloud.dev.stretchpowered.com;
    client_max_body_size 64000m;
    location / {
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-Proto https;
        proxy_set_header X-Forwarded-Host $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_pass http://10.30.20.151:80;

        # Adjusted timeout settings
    }
}
```

```

proxy_connect_timeout 600s;
proxy_send_timeout 600s;
proxy_read_timeout 600s;
send_timeout 600s;


# Adjusted buffer settings
proxy_buffer_size 128k;
proxy_buffers 4 256k;
proxy_busy_buffers_size 256k;
proxy_temp_file_write_size 256k;
}


add_header Strict-Transport-Security "max-age=31536000; includeSubDomains" always;


listen 443 ssl; # managed by Certbot
ssl_certificate /etc/letsencrypt/live/cloud.dev.stretchpowered.com/fullchain.pem; # managed by Certbot
ssl_certificate_key /etc/letsencrypt/live/cloud.dev.stretchpowered.com/privkey.pem; # managed by Certbot
include /etc/letsencrypt/options-ssl-nginx.conf; # managed by Certbot
ssl_dhparam /etc/letsencrypt/ssl-dhparams.pem; # managed by Certbot


}
server {
    if ($host = cloud.dev.stretchpowered.com) {
        return 301 https://$host$request_uri;
    } # managed by Certbot


    listen 80;
    server_name cloud.dev.stretchpowered.com;
    return 404; # managed by Certbot


}

```

Once you've matched these to the golden config, move on to step 5.

Step 5: Configure apcu Config

First lets make sure apcu is running under the correct version of PHP:

```
php -m | grep apcu
```

This should return the word apcu. Once you have that confirmed, run the following to edit the config:

```
sudo nano /etc/php/8.2/mods-available/apcu.ini
```

Once editing, add the following lines:

```
extension=apcu.so  
apc.enable_cli=1
```

Save and exit that config file. Then, run the following to enable the apcu module for PHP 8.2:

```
sudo phpenmod apcu
```

Then, restart the web server:

```
sudo systemctl restart apache2
```

Then, if you have this error or just as a good check, run this command to make sure no database entries are missing:

```
sudo -u www-data php /var/www/nextcloud/occ db:add-missing-indices
```

That is it for this step, move on to step 6.

Step 6: Clear Nextcloud Error Log

Run the following command to become root as you need to be for this:

```
sudo su -l
```

Run the following command to change to the correct directory:

```
cd /var/www/nextcloud/data
```

Run the following command to remove the nextcloud config file:

```
rm -f nextcloud.log
```

Next, change dirs to this:

```
cd /var/www/nextcloud
```

Then, run this:

```
sudo -u www-data php occ maintenance:repair --include-expensive
```

With that, you've completed the initial config. Refresh your nextcloud instance in browser on admin tab to see if you have the famous green check mark.

Revision #2

Created 3 November 2024 20:03:18 by Mike Leffring

Updated 4 February 2025 03:07:19 by Mike Leffring